

= POST COMMIT HOOK VÉGÉRE = [DEV-DOMAIN] szövegrészt a fejlesztői oldal domainjére, a [PROD-DOMAIN] szövegrészt az éles oldal domainjére kell cserélni

```
if svnlook dirs-changed "$1" -r "$2" 2>>/home/svnstore/log/_[PROD-
DOMAIN]_post-commit.err | grep -qEe '^branches/dev/'; then
    /usr/bin/svn up /web/common-sites/web/[DEV-DOMAIN]/ --non-interactive >>
/home/svnstore/log/_[PROD-DOMAIN]_post-commit.log
2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
# find /web/common-sites/web/[DEV-DOMAIN]/ \( ! -regex
'.*\/(cache|log|uploaded|statisztika|)\/.*' \) -mmin -5 -exec chmod g+w {}
\; 2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err &
    changedg=$(svnlook changed "$1" -r "$2" | awk '{print $2}' | egrep
"(cache|log|images/uploaded)")
    if [ $? != 0 ]; then
        echo "Writable dirs not affected." >> /home/svnstore/log/_[PROD-
DOMAIN]_post-commit.log 2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
    else
        echo "WRITABLE DIRS AFFECTED:" >> /home/svnstore/log/_[PROD-
DOMAIN]_post-commit.log 2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        cd "/web/common-sites/web/[DEV-DOMAIN]"
2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        echo -n "Current dir: " >> /home/svnstore/log/_[PROD-DOMAIN]_post-
commit.log 2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        pwd >> /home/svnstore/log/_[PROD-DOMAIN]_post-commit.log
2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        svnlook changed "$1" -r "$2" 2>>/home/svnstore/log/_[PROD-
DOMAIN]_post-commit.err | awk '{print $2}' | egrep
"(cache|log|images/uploaded)" | sed "s/branches\/dev\/\/g" | xargs
"/bin/echo" "/bin/chmod" "g+w" >> /home/svnstore/log/_[PROD-DOMAIN]_post-
commit.log 2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        svnlook changed "$1" -r "$2" 2>>/home/svnstore/log/_[PROD-
DOMAIN]_post-commit.err | awk '{print $2}' | egrep
"(cache|log|images/uploaded)" | sed "s/branches\/dev\/\/g" | xargs
"/bin/chmod" "g+w" >> /home/svnstore/log/_[PROD-DOMAIN]_post-commit.log
2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
        fi
        echo "[DEV-DOMAIN] up to date" >> /home/svnstore/log/_[PROD-
DOMAIN]_post-commit.log
    fi
```

= Parancssorban =

```
mkdir /web/common-sites/web/[DEV-DOMAIN]/
/usr/bin/svn co "file:///home/svnstore/repositories/[PROD-
DOMAIN]/branches/dev" /web/common-sites/web/[DEV-DOMAIN] --non-interactive
>> /home/svnstore/log/_[PROD-DOMAIN]_post-commit.log
2>>/home/svnstore/log/_[PROD-DOMAIN]_post-commit.err
ls -la /web/common-sites/web/[DEV-DOMAIN]

cd /web/common-sites/web/[PROD-DOMAIN]/
```

```
for x in `find cache/ -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/form_config_custom -maxdepth 1 -type f` ; do cp  
"/web/common-sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-  
DOMAIN]/$x"; done  
for x in `find cache/gallery -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/languages/ -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/skin -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/urlaliases -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/ws_pro -maxdepth 1 -type f` ; do cp "/web/common-  
sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-DOMAIN]/$x"; done  
for x in `find cache/ws_pro/delivery_comments -maxdepth 1 -type f` ; do cp  
"/web/common-sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-  
DOMAIN]/$x"; done  
for x in `find cache/ws_pro/schema -maxdepth 1 -type f` ; do cp  
"/web/common-sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-  
DOMAIN]/$x"; done  
for x in `find cache/ws_pro/verify_email -maxdepth 1 -type f` ; do cp  
"/web/common-sites/web/[PROD-DOMAIN]/$x" "/web/common-sites/web/[DEV-  
DOMAIN]/$x"; done  
  
sed "s/[PROD-DOMAIN]/[DEV-DOMAIN]/g" /web/common-sites/cgi-bin/[PROD-  
DOMAIN].php5.fcgi > /web/common-sites/cgi-bin/[DEV-DOMAIN].php5.fcgi  
chown common-sites.common-sites-web /web/common-sites/cgi-bin/[DEV-  
DOMAIN].php5.fcgi  
chmod 554 /web/common-sites/cgi-bin/[DEV-DOMAIN].php5.fcgi  
  
sed "s/[PROD-DOMAIN]/[DEV-DOMAIN]/g" /web/common-sites/etc/php5/cli/[PROD-  
DOMAIN].php.ini > /web/common-sites/etc/php5/cli/[DEV-DOMAIN].php.ini  
chown root.root /web/common-sites/etc/php5/cli/[DEV-DOMAIN].php.ini  
chmod 644 /web/common-sites/etc/php5/cli/[DEV-DOMAIN].php.ini  
  
# Replace makeuplaza_common dev.makeuplaza_common  
# Replace display_errors  
  
mkdir /web/common-sites/log/php/[DEV-DOMAIN]  
mkdir /web/common-sites/sessions/[DEV-DOMAIN]  
mkdir /web/common-sites/tmp/[DEV-DOMAIN]  
  
/home/csikasz/bin/portal_full_permission_set.sh "[DEV-DOMAIN]"
```

From:

<https://wiki.liw.digital/> - **Wiki - LIW Intermedia Kft.**

Permanent link:

https://wiki.liw.digital/doku.php?id=uezemeltetes:sysadmin_puska:fejleszttoi_oldal_letrehozasa 

Last update: **2023. 05. 30 11:44**